

業績：論文

1	T. Mori, K. Yoshioka, Y. Miyazaki.	Ipsilateral MCA low signal intensity on MRA caused by severe carotid stenosis is associated with elevated blood-sampling cerebral oxygen extraction fraction.	ECR 2024	2024:C-12367.
2	Mori T, Yano T, Yoshioka K and Miyazaki Y.	Abstract P418: Pre-Stroke Use of Loop Diuretics in Elderly Patients Aggravates Renal Function at the Onset of Acute Stroke: A Propensity Score-Matched, Retrospective Cohort Study.	Circulation	2024;149:AP418-AP418.
3	Mori T, Yano T, Yoshioka K and Miyazaki Y.	Abstract P281: Pre-Stroke Use of Dipeptidyl Peptidase-4 Inhibitors in Elderly Patients May Reduce Neurological Severity at the Onset of Stroke: A Retrospective Cohort Study.	Circulation	2024;149:AP281-AP281.
4	Mori T, Yano T, Yoshioka K and Miyazaki Y.	Blood glucose control in acute stroke patients under total energy restriction with different carbohydrate intake and SGLT2 inhibitors availability: a retrospective cohort study.	Signa Vitae.	2024;20:8-16.
5	Mori T, Yano T, Yoshioka K and Miyazaki Y	Abstract TMP98: Pre-Stroke Use of Blood-Brain Barrier Crossing Angiotensin Receptor Blockers in Elderly Patients Mitigates Neurological Severity at the Onset of Acute Stroke	Stroke	2024;55:ATMP98
6	Mori T, Yoshioka K and Miyazaki Y	Abstract P598: Highly Purified Eicosapentaenoic Acid Use Can Reduce Neurological Severity at the Onset of Ischemic Stroke in Patients With Hyperlipidemia	Circulation	2023;147:AP598-AP598
7	Mori T, Yano T, Yoshioka K and Miyazaki Y	Pre-Stroke Loop Diuretics and Anemia in Elderly Patients Are Associated Factors of Severe Renal Dysfunction at the Time of Acute Stroke Onset	Journal of Cardiovascular Development and Disease	2023;10
8	Shima H, Taguchi H, Niwa Y, Bando K, Watanabe Y, Yamashita K, Shimazaki K, Koyasu H, Hasegawa Y and Investigators C-TS	Stroke Risk in Patients with Suspected Transient Ischemic Attacks with Focal and Nonfocal Symptoms: A Prospective Study	Journal of stroke and cerebrovascular diseases	2022;31:106185
9	Mori T, Yoshioka K, Tanno Y, Kasakura S and Miyazaki Y	Reduced magnetic resonance angiography signal intensity in the middle cerebral artery ipsilateral to severe carotid stenosis may be a practical index of high oxygen extraction fraction	European Radiology	2022;32:2023-2029
10	Mori T, Yoshioka K, Tanno Y and Kasakura S	Independent factors affecting hemorrhagic and ischemic stroke in patients aged 40-69 years: a cross-sectional study	BMC Cardiovascular Disorders	2022;22:189
11	Mori T, Yoshioka K and Tanno Y	Non-alcoholic fatty liver disease frequency and associated factors at admission of acute stroke	Hepatology International	2022;16:81-88
12	Mori T, Yoshioka K and Miyazaki Y	Abstract 9448: Pre-Stroke Statin Use is Associated With Mild Neurological Symptoms at the Onset of Acute Ischemic Stroke	Circulation	2022;146:A9448
13	Mori T, Yoshioka K and Miyazaki Y	Pre-Stroke Statin Use Is Associated with Mild Neurological Deficits at the Onset of Acute Ischemic Stroke	Journal of Cardiovascular Development and Disease	2022;9

14	Mori T, Shimizu T, Sato H and Mashikawa N	Cut-Out Towne-View Whole-Brain 320-Row Four-Dimensional Computed Tomography Angiography for Assessing the Anterior Intracranial Collateral Status: A Retrospective Study	Diagnostics	2022;12
15	Yoshioka K and Mori T	Postcontrast CT to Estimate Arteriosclerotic Stenosis at the Site of Occlusion before Emergency Endovascular Treatment for Vertebral–Basilar Artery Occlusion	Journal of Neuroendovascular Therapy	2021;15:77-85
16	Shimizu T, Mori T, Yoshioka K and Tanno Y	Thoraco-Cervical Computed Tomographic Angiography to Determine an Appropriate Access Route for Mechanical Thrombectomy	Journal of Neuroendovascular Therapy	2021;15:772-777
17	Mori T, Yoshioka K, Tanno Y and Kasakura S	Safety and Effectiveness of Sodium–Glucose Cotransporter 2 Inhibitor Combined with Medical Nutrition Therapy for Hyperglycemia in Acute Stroke: A Retrospective Study	Metabolites	2021;12:25
18	Mori T, Yoshioka K, Tanno Y and Kasakura S	Intentional stent-stenosis to prevent hyperperfusion syndrome after carotid artery stenting for extremely high- grade stenosis	AJNR American Journal of Neuroradiology	2021;42:132-37
19	Mori T, Yoshioka K and Tanno Y	Frequency of deep vein thrombosis at admission for acute stroke and associated factors: a cross-sectional study	Thromb J	2021;19:62
20	Mori T, Yoshioka K, Mori W and Tanno Y	Collateral status evaluation coupled with time window by dynamic axial computed tomographic angiography with a focus on the middle cerebral artery for mechanical thrombectomy	BMC neurology	2021;21:230
21	Mori T, Yoshioka K and Miyazaki Y	Abstract 10943: Deep Vein Thrombosis Frequency at Acute Stroke Admission	Circulation	2021;144:A10943
22	Mori T, Yoshioka K and Miyazaki Y	Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis	Stroke	2021;52:P509
23	Shimizu T and Mori T	Appropriate head position for four-dimensional axial CT angiography using an 80-row CT scanner with 4 cm-coverage for acute ischaemic stroke thrombectomy	ECR	2020:C-05684
24	Sawada Y, Mori T and Hosaka Y	Abstract WP471: Significant Factors for Early Independent Toilet Activities in Acute Stroke Patients	Stroke	2020;51:AWP471
25	Mori T, Yoshioka K, Tanno Y and Kasakura S	Features of Serum Fatty Acids at Acute Ischemic Stroke Onset in Statin-Treated Patients with Hypercholesterolemia	Nutrients	2020;12
26	Mori T, Yoshioka K, Tanno Y and Kasakura S	Association of Serum Fatty Acids at Admission with the Age of Onset of Intracerebral Hemorrhage	Nutrients	2020;12:2903

27	Mori T, Yoshioka K, Tanno Y and Kasakura S	Association of Serum Fatty Acids at Admission with the Age of Onset of Acute Ischemic Stroke	Nutrients	2020;12:2411
28	Mori T, Yoshioka K and Chiba N	Effect of Chocolate Containing 86% Cacao and Much Polyphenol to Improve Level of Alertness in Acute Stroke Patients	Stroke	2020;51:AWP465
29	Mori T, Yoshioka K and Chiba N	Safety and Effect of Medium-Chain Triglycerides Oil to Prevent Deterioration of Nutritional Status in Acute Stroke Patients With Severe Renal dysfunction	Stroke	2020;51:AWP457
30	Mori T, Yoshioka K and Chiba N	Prevalence and Associated Metabolic Factors of Non-Alcoholic Fatty Liver Disease in Middle and Young-Old-Aged Acute Stroke Patients	Stroke	2020;51:AWP231
31	Mori T, Yoshioka K and Chiba N	Rapid and Appropriate Evaluation of Collateral Development by Four-Dimensional CT Angiography Covering Only 4-cm Width With a Focus on the Intracranial Internal Carotid Artery and the Middle Cerebral Artery to Identify Candidates of Thrombectomy	Stroke	2020;51:ATP93
32	Mori T and Yoshioka K	Association of serum fatty acids with age at the onset of acute ischemic stroke in patients aged 50 years or older	Circulation	2020;142:Abstract 13690
33	Mori T and Yoshioka K	Rapid Evaluation Of Collateral Development By Time Sequential CT Angiography Covering 4-cm Width To Identify Candidates Of Thrombectomy	ECR	2020:C-04366
34	Mori T and Yoshioka K	Serum Fatty Acids Concentrations and Compositions, Lipids Concentrations and Their Correlation in Acute Ischemic Stroke Patients Aged 50 Years or Older	Circulation	2020;141:P491
35	Mori T and Yoshioka K	Prevalence and Independent Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79 Years	Circulation	2020;141:P279
36	Mori T and Yoshioka K	Features of serum fatty acids in acute ischaemic stroke patients aged 50 years or older	BMC Cardiovasc Disord	2020;20:122
37	Mori T and Yoshioka K	A practical protocol for shortening reconstruction time of volumetric data and imaging bilateral middle cerebral arteries for thrombectomy in acute ischemic stroke using an 80-row computed tomography scanner	Neuroradiology	2020;62:97-100
38	Mori T, Kasakura S and Yoshioka K	Computed tomography angiographic anatomical features for successful transbrachial insertion of a balloon guide catheter for mechanical thrombectomy in acute ischemic stroke	Brain Circ	2020
39	Iwata T and Mori T	Long-term Clinical Outcomes of Elective Carotid Artery Stenting in Patients Undergoing Maintenance Hemodialysis	Intern Med	2020;59:479-483

40	Hosaka Y, Mori T and Sawada Y	Abstract TP380: Significant Factors of Early Independent Gait in Acute Ischemic Stroke Patients	Stroke	2020;51:Suppl_1:TP380
41	Nozomi Chiba, Takahisa Mori, and Kazuhiro Yoshioka	Abstract WP434: Incidence of Deep Venous Thrombosis Following Endovascular Revascularization via the Femoral Artery Due to Acute Ischemic Stroke	Stroke	2020;51:Suppl_1:WP434
42	Takahisa Mori, Kazuhiro Yoshioka, and Nozomi Chiba	Abstract WP457: Safety and Effect of Medium-Chain Triglycerides Oil to Prevent Deterioration of Nutritional Status in Acute Stroke Patients With Severe Renal Dysfunction	Stroke	2020;51:Suppl_1:WP457
43	Takahisa Mori, Kazuhiro Yoshioka, and Nozomi Chiba	Abstract WP465: Effect of Chocolate Containing 86% Cacao and Much Polyphenol to Improve Level of Alertness in Acute Stroke Patients	Stroke	2020;51:Suppl_1:WP465
44	Yuki Sawada, Takahisa Mori, and Yuna Hosaka	Abstract WP471: Significant Factors for Early Independent Toilet Activities in Acute Stroke Patients	Stroke	2020;51:Suppl_1:WP471
45	Takahisa Mori Yuhei Tanno, Noriyoshi Nakai , Kazuhiro Yoshioka	A novel and logical strategy for prevention of hyperperfusion syndrome; Intentional residual stenosis after carotid artery stenting of an extremely high-grade stenosis	Stroke	2019;50:ATP156
46	Oonuma Y, Tanno Y, Chiba N and Mori T	Rapid Improvement of Malnutrition Following Treatment by Leucine-Enhanced Branched Chain Amino Acid in Severe Acute Stroke Patients Fed With Enteral Nutrition	Stroke	2019;50:ATP481
47	Mori T and Yoshioka K	Prevalence and Associated Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79Years	Circulation	2019;140:A11713
48	Mori T, Tanno Y, Nakai N and Yoshioka K	B-0949 Novel rapid imaging protocol of the bilateral MCA territories for thrombectomy in acute ischaemic stroke by old-model 320-row area detector CT	Insights Imaging	2019:SS1017
49	Kawakami T, Yoshioka K, Tanno Y, Nakai N and Mori T	Low cerebral blood flow grade based on dynamic magnetic resonance imaging predicts neurological deterioration in patients treated without thrombectomy because of low NIHSS score despite the carotid or middle cerebral artery occlusion	Stroke	2019;50:ATP96
50	Yoshioka K, Mori T, Tanno Y and Nakai N	Feasibility of transbrachial carotid cannulation of a particular long guide-sheath in emergency thrombectomy for acute ischemic stroke in the anterior cerebral circulation	JNIS	2018
51	Mori T, Tanno Y, Yoshioka K and Nakai N	Rapid imaging protocol of the bilateral MCA territories in acute stroke by 80 row area detector CT	Neuroradiology	2018;60:487 1-P23
52	Mori T, Tanno Y, Yoshioka K and Nakai N	Rapid Imaging Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-Row Area Detector CT	RSNA	2018:ER222-SD-WEA1

53	Mori T, Tanno Y, Kasakura S, Yoshioka K and Nakai N	Effectiveness and safety of luseogliflozin, sodium-glucose cotransporter2 inhibitor, to treat hyperglycemia in an acute stroke stage	Stroke	2018;49:ATP368
	Takahisa Mori, Yuhei Tanno, Shigen Kasakura, Kazuhiro Yoshioka, and Noriyoshi Nakai	Abstract WP46: Objective Collateral Assessment to Identify Patients Suffering From Distal Middle Cerebral Artery Occlusion Refractory to Intravenous Tissue Plasminogen Activator Therapy	Stroke	2018;49:Suppl_1;WP46
55	Mori T, Tanno Y, Kasakura S, Yoshioka K and Nakai N	Serum fatty acids and ischemic stroke subtypes in middle- and late-onset acute stroke patients	Clinical Nutrition Experimental	2018:19-29
56	Kasakura S, Mori T, Nakai N, Tanno Y and Yoshioka K	[Continuous Blood Glucose Monitoring of Hyperglycemia in Acute Stroke Patients Receiving Enteral Tube Feeding]	Brain and nerve	2018;70:849-855
57	Iwata T, Mori T, Tanno Y, Kasakura S and Yoshioka K	Impaired Brachial Flow-Mediated Dilatation May Predict Symptomatic Intracranial Arterial Dissections	Journal of stroke and cerebrovascular diseases : the official journal of National	2018;27:2691-2695
58	Iwata T, Mori T, Tanno Y, Kasakura S and Yoshioka K	Measurement of oxygen extraction fraction by blood sampling to estimate severe cerebral hemodynamic failure and anticipate cerebral hyperperfusion syndrome following carotid artery stenting	Journal of neurointerventional surgery	2018;10:1063-1066
59	Mori T, Tanno Y, Kasakura S, Yoshioka K and Nakai N	Elective carotid artery stenting for high signal lesions on MR black blood images	Journal of neurointerventional surgery	2017;9:E-096
60	Mori T, Tanno Y, Kasakura S, Yoshioka K and Nakai N	Influence of Statins on LDL- and HDL-Cholesterol and Plasma Fatty Acids in Elderly Japanese Ischemic Stroke Patients	Austin J Cerebrovasc Dis & Stroke	2017;4:1062 - 1064
61	Mori T, Tanno Y, Kasakura S, Yoshioka K and N N	Safe and Quick Control of Hyperglycemia with Luseogliflozin in Case of High-Dose Intensive Insulin User in an Acute Ischemic Stroke Stage: A Case Report	Austin J Cerebrovasc Dis & Stroke	2017;4:1066
62	Taguchi H, Hasegawa Y, Bandoh K, Koyasu H, Watanabe Y, Yamashita K, Shimazaki K, Shima H, Miyakawa M, Niwa Y and Investigators C-TS	Implementation of a Community-Based Triage for Patients with Suspected Transient Ischemic Attack or Minor Stroke Study: A Prospective Multicenter Observational Study	Journal of stroke and cerebrovascular diseases : the official journal of National	2016;25:745-51
63	Mori T, Tanno Y, Kasakura S, Yoshioka K, Nakai N	Utility of transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation	Neuroradiology	2016;58:S25
64	Mori T, Kasakura S, Tanno Y, Yoshioka K and Nakai N	Angiographic anatomical features for transbrachial carotid cannulation of a balloon-guide catheter	JNIS	2016;8:A83
65	Mori T, Iwata T, Tanno Y, Kasakura S, Yoshioka K and Hirata Y	Long-term Survival According to CBF Grade of MR Perfusion in Acute Stroke Patients With the Carotid Artery Occlusion	Stroke	2016;47:Suppl_1:WP59

66	Tomonori Iwata, Takahisa Mori, Yuhei Tanno, Shigen Kasakura, and Kazuhiro Yoshioka	Abstract WP24: Utility of the Sheath Guide Specifically Designed for Transbrachial Approach in Endovascular Treatment of Neurovascular Diseases	Stroke	2016;47:Suppl_1:WP24
67	Yuji Takahashi, Kazuhiro Yoshioka, Shigen Kasakura, Yuhei Tanno, Tomonori Iwata, and Takahisa Mori	Abstract WP65: Relationship Between Neurological Severity and CBF Grade of Mr Perfusion in Acute Stroke Patients With the Carotid Artery Occlusion	Stroke	2016;47:Suppl_1:WP65
68	Mori T, Kasakura S, Iwata T, Tanno Y and KY	Angiographic Anatomical Features for Transbrachial Carotid Cannulation of a Balloon-Guide Catheter	Journal of neurointerventional surgery	2016;8:E-079
69	Miyazaki Y, Mori T, Iwata T, Aoyagi Y, Tanno Y, Kasakura S and Yoshioka K	Continuous daily use of cilostazol prevents in-stent restenosis following carotid artery stenting: serial angiographic investigation of 229 lesions	Journal of neurointerventional surgery	2016;8:471-5
70	Tomonori Iwata TM, Yoshinori Aoyagi, Yuhei Tanno, Shigen Kasakura and Kazuhiro Yoshioka	Global oxygen extraction fraction by blood sampling to anticipate cerebral hyperperfusion syndrome following carotid artery stenting	Stroke	2015;46:ATP103
71	Tanno Y, Mori T, Iwata T, Aoyagi Y, Kasakura S and Yoshioka K	[Spontaneous Dilatation of Carotid Artery Stents Three Months after the Procedure, without the Need for Post-CAS Balloon Dilatation]	No Shinkei Geka Neurological Surgery	2015;43:1019-25
72	Tanno Y, Mori T, Iwata T, Aoyagi Y, Kasakura S and Yoshioka K	Spontaneous dilatation of stents at three months after carotid artery stenting without post-carotid artery stenting balloon dilatation	Stroke	2015;47:AWP17
73	Takahisa Mori TI, Yuhei Tanno, Shigen Kasakura, Yoshinori Aoyagi and Kazuhiro Yoshioka	Utilization of Blood Sampling Global Oxygen Extraction Fraction and SPECT to Anticipate Cerebral Hyperperfusion Syndrome Following Elective Carotid Artery Stenting	Stroke	2015;46:AWP115
74	T Mori, T Iwata, Y Tanno, S Kasakura and Yoshioka K	Utilization of blood sampling global oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following elective carotid artery stenting	Journal of neurointerventional surgery	2015;7:A7
75	Mori T, Iwata T, Tanno Y, Kasakura S, Aoyagi Y and Yoshioka K	Abstract W P33: Long-term Survival and Outcome Anticipation Based on Simple Grading of MR Perfusion in Severe Stroke Patients Due to the Carotid-Middle Cerebral Artery Occlusion	Stroke	2015;46:AWP33-AWP33
76	Kasakura S, Mori T, Iwata T, Tanno Y, Aoyagi Y and Yoshioka K	[Usefulness of a Transbrachial Guide Sheath Specifically Designed for Direct Common Carotid Artery Cannulation in Common Carotid Artery Stenting]	No Shinkei Geka Neurological Surgery	2015;43:913-8
77	Tomonori Iwata TM, Yuichi Miyazaki, Yuhei Tanno, Shigen Kasakura and Kazuhiro Yoshioka	Impaired Brachial Flow-mediated Dilatation in Patients With Symptomatic Nontraumatic Intracranial Arterial Dissections	Stroke	2014;45:ATP171
78	Mori T, Y Miyazaki, Y Tanno, S Kasakura, K Yoshioka, Y Aoyagi	Transbrachial approach as a first access route for neurointervention	European radiology	2014;ECR2014:C-1619

79	Mori T, Iwata T, Miyazaki Y, Tanno Y, Kasakura S, Aoyagi Y and Yoshioka K	Rapid imaging protocol in acute stroke by area detector CT	ECR	2014:C-1699
80	Iwata T, Mori T, Miyazaki Y, Tanno Y, Kasakura S and Aoyagi Y	Global oxygen extraction fraction by blood sampling to anticipate cerebral hyperperfusion phenomenon after carotid artery stenting	Neurosurgery	2014;75:546-551; discussion 551
81	Takahashi Y, Mori T, Iwata T, Miyazaki Y, Nakazaki M and Mizokami K	Abstract TP152: Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon Following Carotid Artery Stenting	Stroke	2013;44:ATP152-ATP152
82	SUZUKI H, TAKEDA S, NAKAZAKI M, SONE S and MORI T	Abstract WP325: The Appropriate Body Position During Nasal-gastric Tube Feeding To Prevent The Aspiration Pneumonia In Acute Stroke Patients	Stroke	2013;44:AWP325-AWP325
83	Mori T, Iwata T, Miyazaki Y, Nakazaki M, Takahashi Y and Mizokami K	Abstract TP53: Simple And Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra In Stroke Patients Within 4-5 Hours Of Onset Due To The Carotid Artery Occlusion	Stroke	2013;44:ATP53-ATP53
84	Mizokami K, Mori T, Iwata T, Miyazaki Y, Nakazaki M and Takahashi Y	Abstract WP14: Where Should We Direct Our Efforts Among A Few In-hospital Steps From ER Arrival To Achieve Faster Recanalization In Acute Ischemic Stroke?	Stroke	2013;44:AWP14-AWP14
85	Iwata T, Mori T, Tajiri H, Miyazaki Y, Nakazaki M and Mizokami K	Initial experience of a novel sheath guide for transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation	Neurosurgery	2013;72:15-9; discussion 19-20
86	Iwata T, Mori T, Tajiri H, Miyazaki Y and Nakazaki M	Repeated injection of contrast medium inducing dysfunction of the blood-brain barrier: case report	Neurologia Medico-Chirurgica (Tokyo)	2013;53:34-6
87	Iwata T, Mori T, Miyazaki Y, Nakazaki M, Takahashi Y and Mizokami K	Abstract WP128: Blood Sampling Oxygen Extraction Fraction As Predictors Of Hyperperfusion Phenomenon Following Carotid Artery Stenting	Stroke	2013;44:AWP128-AWP128
88	Tajiri H, Mori T, Iwata T, Miyazaki Y and Nakazaki M	Abstract 2427: Significance of Susceptibility Vessel Sign on T2 Star Weighted-images to Predict Clinical Outcome following Emergency Endovascular Treatment in Patients with Probable Acute Embolic Basilar Artery Occlusion	Stroke	2012;43:A2427-A2427
89	Tajiri H, Mori T, Iwata T, Miyazaki Y and Nakazaki M	Abstract 2428: Nutritional Predictors Of Long-term Clinical Outcome In Patients Fed Through A Gastro-intestinal Tube Following Serious Acute Stroke	Stroke	2012;43:A2428-A2428
90	NAKAZAKI M, Mori T, Tajiri H, Iwata T and Miyazaki Y	Abstract 2632: The Relationship Between MRI/PWI-Time Intensity Curve And 3-month Clinical Outcome Of The Acute Ischemic Patients Who Underwent Endovascular Reperfusion Therapy For IC Or MCA Occlusion	Stroke	2012;43:A2632-A2632
91	Miyazaki Y, Mori T, Tajiri H, Iwata T and Nakazaki M	Abstract 2859: Comparison Of Four-dimensional Ct Angiography (4d-cta) With Mra In Acute Ischemic Stroke Patients With Probable Internal Carotid Artery Occlusion	Stroke	2012;43:A2859-A2859

92	Iwata T, Mori T, Tajiri H, Miyazaki Y and Nakazaki M	Abstract 2847: The Feasibility, Efficacy And Safety Of Transbrachial Approach For Carotid Artery Stenting	Stroke	2012;43:A2847-A2847
93	Iwata T, Mori T, Tajiri H, Miyazaki Y and Nakazaki M	Long-term angiographic and clinical outcome following stenting by flow reversal technique for chronic occlusions older than 3 months of the cervical carotid or vertebral artery	Neurosurgery	2012;70:82-90; discussion 90
94	Watanabe M, Mori T, Imai K and Izumoto H	Endovascular Interventions for Patients With Serious Symptoms Caused by Embolic Carotid T Occlusion	Neurologia Medico-Chirurgica (Tokyo)	2011;51:282-288
95	Iwata T, Mori T, Tajiri H and Nakazaki M	Predictors of hyperperfusion syndrome before and immediately after carotid artery stenting in single-photon emission computed tomography and transcranial color-coded real-time sonography studies	Neurosurgery	2011;68:649-55; discussion 655-6
96	Iwata T, Mori T, Tajiri H, Miyazaki Y and Nakazaki M	Long-term angiographic and clinical outcome following stenting by flow reversal technique for chronic occlusions older than 3 months of the cervical carotid or vertebral artery	Neurosurgery	2012 Jan;70(1):82-90; discussion 90
97	Imai K, Mori T, Izumoto H, Watanabe M, Kunieda T, Takabatake N and Yamamoto S	MR imaging-based localized intra-arterial thrombolysis assisted by mechanical clot disruption for acute ischemic stroke due to middle cerebral artery occlusion	AJNR American Journal of Neuroradiology	2011;32:748-52
98	Yuichi Miyazaki, Takahisa Mori, Hiroyuki Tajiri, Tomonori Iwata, Masahito Nakazaki	Long-term Angiographic Follow-up Following Stenting For Chronic Total Occlusion Older Than Three Months Of The Proximal Subclavian Artery	Stroke	2011;42:e236:W P269
99	MASAHITO NAKAZAKI, Takahisa Mori, Hiroyuki Tajiri, Tomonori Iwata, Yuichi Miyazaki	Long-term Clinical Outcome Following Endovascular Reperfusion Therapy In Severe Ischemic Stroke Patients	Stroke	2011;42:e313:Th P205
100	MASAHITO NAKAZAKI, Takahisa Mori, Hiroyuki Tajiri, Tomonori Iwata, Yuichi Miyazaki	The Usefulness Of DWI-aspect Score As A Predictor Of Short And Long-term Clinical Outcome Following Emergency Reperfusion Therapy In Severe Acute Ischemic Stroke Patients	Stroke	2011;42:e317:Th P219
101	Tomonori Iwata, Takahisa Mori, Hiroyuki Tajiri, Yuichi Miyazaki, Masahito Nakazaki	Subacute Angioplasty And/or Stenting For The Stroke Patients Deteriorating Due To Vertebrobasilar Stenosis	Stroke	2011;42:e323:Th P240
102	Tomonori Iwata, Takahisa Mori, Hiroyuki Tajiri, Tsuyoshi Uesugi, Masahito Nakazaki	Angioplasty and Stenting for the Internal Carotid or Middle Cerebral Artery Occlusion in a Subacute Stroke Stage in Deteriorating Patients With Internal Border Zone Infarcts	Stroke	2010;41:P396
103	Takahisa Mori, Takashi Imanishi, Jun Sawataishi, Satoshi Yanagihara, Kohei Sugawara, Itaru Kimura, Syunji Nakanishi	Clinical Outcome After Intensive Rehabilitation Following Acute Treatment and Management in Stroke Centers and Significant Variables for Returning to Previous Home Life	Stroke	2010;41:P408
104	Watanabe M, Mori T, Imai K, Izumoto H, Hirano T and Uchino M	Distal migration of a floating carotid thrombus in a patient using oral contraceptives: a case report	Journal of medical case reports	2009;3:8389

105	Hiroyuki Tajiri, Takahisa Mori, Tomonori Iwata	Short-term Clinical Outcome Following Gastro-intestinal Tube Feeding By Immunonutrition-oriented Or Protein-oriented Food In Acute Stroke Management:Preliminary Results.	Stroke	2008;39:P125
106	Takahisa Mori, Hiroyuki Tajiri, Tomonori Iwata	Emergency Carotid Artery Stenting For Total Or Near Occlusion With Or Without Proximal Flow Control In Acute Stroke Stage.	Stroke	2008;39:P489
107	Yamamoto S, Mori T, Imai K, Izumoto H and Kunieda T	Long-term outcome after elective stent assisted intracranial angioplasty for atherosclerotic occlusive disease	Jpn J Stroke	2007;29:14-21
108	Kunieda T, Imai K, Mori T, Izumoto H, Takabatake N and Yamamoto S	[Ischemic stroke in a young patient with methylephedrine addiction: a case report]	Rinsho shinkeigaku = Clinical neurology	2006;46:274-7
109	Keisuke Imai , Takahisa Mori, Hajime Izumoto, Nozomu Takabatake, Takenobu Kunieda, Shinji Yamamoto, Masaki Watanabe	Successful Stenting Seven Days After Atherothrombotic Occlusion of the Intracranial Internal Carotid Artery	J ENDOVASC THER	2006;13:254-259
110	Izumoto H, Mori T and Imai K	Stent-grafting for the Large Common Carotid Artery Aneurysm. Case Report	Interventional Neuroradiology : journal of peritherapeutic neuroradiology, surgical	
111	Imai K, Mori T, Izumoto H, Takabatake N, Kunieda T, Yamamoto S and Watanabe M	Successful stenting seven days after atherothrombotic occlusion of the intracranial internal carotid artery	J Endovasc Ther	2006;13:254-9
112	Imai K, Mori T, Izumoto H, Takabatake N, Kunieda T and Watanabe M	Hyperbaric oxygen combined with intravenous edaravone for treatment of acute embolic stroke: a pilot clinical trial	Neurologia Medico-Chirurgica (Tokyo)	2006;46:373-8; discussion 378
113	Imai K, Mori T, Izumoto H, Takabatake N, Kunieda T, Shimizu H and Watanabe M	Clot removal therapy by aspiration and extraction for acute embolic carotid occlusion	AJNR American Journal of Neuroradiology	2006;27:1521-7
114	Imai K, Mori T, Izumoto H, Watanabe M and Majima K	Emergency carotid artery stent placement in patients with acute ischemic stroke	AJNR American Journal of Neuroradiology	2005;26:1249-58
115	Imai K, Mori T, Izumoto H and Watanabe M	Successful thrombectomy in acute terminal internal carotid occlusion using a basket type microsnare in conjunction with temporary proximal occlusion: a case report	AJNR American Journal of Neuroradiology	2005;26:1395-8
116	Chokyu K, Fukumoto M, Mori T, Mokudai T, Mori K and Shimizu K	Semiquantitative dynamic computed tomography to predict response to anti-platelet therapy in acute cerebral infarction	Neuroradiology	2002;44:286-93
117	Mori T, Kazita K, Chokyu K, Mima T and Mori K	Short-term arteriographic and clinical outcome after cerebral angioplasty and stenting for intracranial vertebrobasilar and carotid atherosclerotic occlusive disease	AJNR American Journal of Neuroradiology	2000;21:249-54

118	Mori T, Kazita K and Mori K	Cerebral angioplasty and stenting for intracranial vertebral atherosclerotic stenosis	AJNR American Journal of Neuroradiology	1999;20:787-9
119	Mori T, Kazita K, Chokyu K and Mori K	Stenting treatment for intra- and extra-cranial atherosclerotic diseases	Interventional Neuroradiology : journal of peritherapeutic neuroradiology, surgical	1999;5:51-3
120	Mori T, Fukuoka M, Kazita K, Mima T and Mori K	Intraventricular hemorrhage after carotid stenting	Journal of endovascular surgery : the official journal of the International	1999;6:337-41
121	Mori T, Fukuoka M, Kazita K and Mori K	Follow-up study after intracranial percutaneous transluminal cerebral balloon angioplasty	AJNR American Journal of Neuroradiology	1998;19:1525-33
122	Mori T, Fukuoka M, Kazita K and Mori K	Follow-up study after percutaneous transluminal cerebral angioplasty	European radiology	1998;8:403-8
123	Mori T, Fukuoka M, Kazita K and Mori K	Follow-up study after intracranial percutaneous transluminal cerebral balloon angioplasty	AJNR American Journal of Neuroradiology	1998;19:1525-33
124	Mori T, Fukuoka M, Kazita K and Mori K	Percutaneous transluminal angioplasty using kissing balloon technique for carotid bifurcation stenoses coupled with the proatlantal intersegmental artery: a case report	Minimally invasive neurosurgery : MIN	1998;41:214-6
125	Kazita K, Mori T, Fukuoka M and Mori K	Follow-up Study after Percutaneous Transluminal Cerebral Angioplasty	Interventional Neuroradiology : journal of peritherapeutic neuroradiology, surgical	1998;4 Suppl 1:49-52
126	Mori T, Mori K, Fukuoka M, Arisawa M and Honda S	Percutaneous transluminal cerebral angioplasty: serial angiographic follow-up after successful dilatation	Neuroradiology	1997;39:111-6
127	Mori T, Kazita K, Fukuoka M and Mori K	Carotid and vertebral stenting: preliminary report	Interventional Neuroradiology : journal of peritherapeutic neuroradiology, surgical	1997;3 Suppl 2:59-61
128	Honda S, Mori T, Fukuoka M, Kajita K, Arisawa M, Nishimura T and Mori K	Successful percutaneous transluminal angioplasty of the intracranial vertebral artery 1 month after total occlusion--case report	Neurologia Medico- Chirurgica (Tokyo)	1994;34:551-4
129	Mori T, Arisawa M, Seike M, Honda S, Fukuoka M, Kamimura Y, Morimoto M, Kurisaka M and Mori K	[Predictive factors for in-hospital mortality and delayed mortality following aneurysmal subarachnoid hemorrhage]	No Shinkei Geka	1993;21:431-5
130	Mori T, Arisawa M, Honda S, Fukuoka M, Kurisaka M and Mori K	[Three months angiographic follow-up after successful percutaneous transluminal angioplasty]	No Shinkei Geka	1993;21:141-6

---

131 Nobuyoshi M, Hamasaki N,  
Kimura T, Nosaka H, Yokoi  
H, Yasumoto H, Horiuchi H,  
Nakashima H, Shindo T,  
Mori T and et al Indications, complications, and short-term clinical outcome of  
percutaneous transvenous mitral commissurotomy Circulation 1989;80:782-92

---

国際学会発表 2012年以降

Year	Congress	Title
2024	AHA EPI/Lifestyle Scientific Sessions	Pre-stroke use of DPP4 inhibitors in elderly patients may reduce neurological severity at the onset of stroke: a retrospective cohort study
2024	AHA EPI/Lifestyle Scientific Sessions	Pre-stroke use of loop diuretics in elderly patients aggravates renal function at the onset of acute stroke: a propensity-score matched cohort study
2024	ASA International Stroke Conference	Pre-stroke use of blood-brain barrier crossing angiotensin receptors blockers in elderly patients mitigates neurological severity at the onset of acute stroke
2024	European Congress of Radiology (ECR)	Ipsilateral MCA low signal intensity on MRA caused by severe carotid stenosis is associated with elevated blood-sampling cerebral oxygen extraction fraction
2023	European Stroke Organization Conference (ESOC)	Pre-Stroke Statin Use Is Associated with Mild Neurological Deficits at the Onset of Acute Ischemic Stroke
2023	AHA EPI/Lifestyle Scientific Sessions	Highly Purified Eicosapentaenoic Acid Use Can Reduce Neurological Severity at the Onset of Ischemic Stroke in Patients With Hyperlipidemia
2023	European Congress of Radiology (ECR)	Cut-out to view whole-brain 320 row four-dimensional computed tomography angiography for assessing the anterior intracranial collateral status
2022	AHA Scientific Sessions	Pre-stroke Statin Use Is Associated With Mild Neurological Symptoms At The Onset Of Acute Ischemic Stroke
2022	ASA International Stroke Conference	Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis
2022	ASA International Stroke Conference	Sodium-glucose Cotransporter 2 Inhibitors Coupled With 40% Carbohydrate Diet Improve Hyperglycemia Safely And Soon In An Acute Stroke Stage
2022	ASA International Stroke Conference	The Frequency And Associated Factors Of Deep Vein Thrombosis At Admission Of Acute Stroke
2022	European Congress of Radiology (ECR)	Reduced Magnetic Resonance Angiography Signal Intensity in the Middle Cerebral Artery Ipsilateral to Severe Carotid Stenosis may be a Practical Index of High Oxygen Extraction Fraction
2022	16th World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Reduced Magnetic Resonance Angiography Signal Intensity in the Middle Cerebral Artery Ipsilateral to Severe Carotid Stenosis may be a Practical Index of High Oxygen Extraction Fraction
2021	AHA EPI/Lifestyle Scientific Sessions	Comparison Of Vascular Risk Factors And Serum Fatty Acids At Admission Between Intracerebral Hemorrhage And Acute Ischemic Stroke
2021	AHA Scientific Sessions	Deep Vein Thrombosis Frequency at Acute Stroke Admission
2021	ASA International stroke Conference	Signal Intensity in the Middle Cerebral Artery as a Practical and Feasible Index of Hemodynamic Insufficiency Due to Carotid Artery Stenosis
2021	European Congress of Radiology (ECR)	Collateral status coupled with the upper-limit of the onset-to-reperfusion time by dynamic axial computed tomographic angiography for mechanical thrombectomy
2020	AHA EPI/Lifestyle Scientific Sessions	Prevalence and Independence Metabolic Factors of Non-alcoholic Fatty Liver Disease in Acute Stroke Patients Aged 40-79 Years
2020	AHA EPI/Lifestyle Scientific Sessions	Serum fatty acids Concentrations and Compositions, Lipids Concentrations and Their Correlation in Acute Ischemic Stroke Patients Aged 50 Years or Older
2020	American Society of Neuroradiology (ASNR)	Rapid Evaluation of Collateral Development by Axial Time-Sequential CT Angiogram Covering Only 4-cm Width With A Focus On The Middle Cerebral Artery To Identify Candidates Of Thrombectomy
2020	ASA International Stroke Conference	Effect of Chocolate Containing 86% Cacao and Much Polyphenol to Improve level of Alertness in Acute Stroke Patients
2020	ASA International Stroke Conference	Incidence of Deep Venous Thrombosis Following Endovascular Revascularization via the Femoral Artery Due to Acute Ischemic Stroke
2020	ASA International Stroke Conference	Prevalence and Associated Metabolic Factors of Non-Alcoholic Fatty Liver Disease in Middle and Young-Old-Aged Acute Stroke Patients
2020	ASA International Stroke Conference	Rapid and Appropriate Evaluation of Collateral Development by Four-Dimensional CT Angiography Covering Only 4-cm Width With a Focus on the Intracranial Internal Carotid Artery and the Middle Cerebral Artery to Identify Candidates of Thrombectomy
2020	ASA International Stroke Conference	Safety and Effect of Medium-Chain Triglycerides Oil to Prevent Deterioration of Nutritional Status in Acute Stroke Patients With Severe Renal Dysfunction
2020	ASA International Stroke Conference	Significant Factors for Early Independent Toilet Activities in Acute Stroke Patients
2020	ASA International Stroke Conference	Significant Factors of Early Independent Gait in Acute Stroke Patients

2020	European Atherosclerosis Society (EAS)	Serum Fatty Acids Concentrations and Compositions, Lipid Concentration and Their Correlation In Acute Ischemic Stroke Patients Aged 50 years or Older
2020	European Congress of Radiology (ECR)	Appropriate Head Position for Four-Dimensional Axial CT Angiography Using an 80-row CT Scanner with 4cm-Coverage for Acute Ischemic Stroke Thrombectomy
2020	European Congress of Radiology (ECR)	Prevalence and independent predictors of deep vein thrombosis on admission in acute stroke patients
2020	European Congress of Radiology (ECR)	Rapid Evaluation of Collateral Development by Time Sequential CT Angiography Covering 4-cm Width To Identify Candidates Of Thrombectomy
2020	European Stroke Organization Conference (ESOC)	Rapid Evaluation Of Collateral Development By Time Sequential CT Angiography Covering 4-cm Width To identify Candidates Of Thrombectomy
2020	European Stroke Organization Conference (ESOC)	Reconstructed coronal images by post-contrast computed tomography scanning to identify candidates for thrombectomy of the vertebro-basilar artery occlusion in acute ischemic stroke
2019	11th European Society of Minimally Invasive Neurological Therapy (ESMINT)	Novel rapid imaging protocol of the bilateral MCA territories for thrombectomy in acute ischemic stroke by old-model 320-row area detector CT
2019	European Stroke Organization Conference (ESOC)	CT findings for thrombectomy of the vertebro-basilar artery occlusion in acute ischemic stroke
2019	European Stroke Organization Conference (ESOC)	Prevention of Early DVT Following Hospitalization due to Stroke
2019	ASA International stroke Conference	A Novel and Logical Strategy for Prevention of Hyperperfusion Syndrome; Intentional Residual Stenosis After Carotid Artery Stenting of an Extremely High-Grade Stenosis
2019	ASA International stroke Conference	Low Cerebral Blood Flow Grade Based on Dynamic Magnetic Resonance Imaging Predicts Neurological Deterioration in Patients Treated Without Thrombectomy Because of Low NIHSS Score Despite the Carotid or Middle Cerebral Artery Occlusion
2019	ASA International stroke Conference	Prevalence And Associated Metabolic Factors Of Non-alcoholic Fatty Liver Disease In Acute Stroke Patients Aged 40-79 Years
2019	ASA International stroke Conference	Rapid Improvement of malnutrition Following Treatment by Leucine-Enhanced Branched Chain Amino Acid in Severe Acute Stroke Patients Fed With Enteral Nutrition
2018	European Stroke Organization Conference (ESOC)	Safe Stenting of Vulnerable Carotid Artery Lesions Showing High-Signal in MR Black Blood Images
2018	European Stroke Organization Conference (ESOC)	Serum Fatty Acids' Level and Stroke Subtypes in Middle - Or Old-Aged Acute Stroke Patients
2018	AHA International Stroke Conference	Effectiveness and Safety of Luseogliflozin, Sodium-Glucose Cotransporter2 Inhibitor, to Treat Hyperglycemia in an Acute Stroke Stage
2018	AHA International Stroke Conference	Objective Collateral Assessment to Identify Patients Suffering From Distal Middle Cerebral Artery Occlusion Refractory to Intravenous Tissue Plasminogen Activator Therapy
2018	American Society of Neuroradiology (ASNR)	Preventive Effect of Residual Stenosis on Hyperperfusion Syndrome after Carotid Artery Stenting not Followed by Balloon Dilatation
2018	American Society of Neuroradiology (ASNR)	Spontaneous Dilatation of Stents After Carotid Artery Stenting, CAS, without Post-CAS Balloon Dilatation for High-signal Lesions on MR Black-blood Images
2018	European Society of Neuroradiology (ESNR)	Rapid Imaging Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-row Area Detector CT
2018	European Stroke Organization Conference (ESOC)	Determinants of Angiographic Outcome After Stenting for Atherosclerotic intracranial Arteries
2018	European Stroke Organization Conference (ESOC)	Anatomical Features of the Vertebral Artery for Transbrachial Approach for Emergency Thrombectomy in the Ischemic Posterior Circulation Stroke
2018	European Stroke Organization Conference (ESOC)	Clinical Characteristics, Collateral Status and Long-Term Outcome in Late Presenting Strokes Undergoing Neurointervention
2018	Radiological Society of North America (RSNA)	Rapid Imaging Protocol of the Bilateral MCA Territories for Thrombectomy in Acute Ischemic Stroke by 80-Row Area Detector CT
2018	World Stroke Congress (WSC)	Anatomical features of the vertebral artery for transbrachial approach for emergency thrombectomy in the ischemic posterior circulation stroke
2018	XXI Symposium Neuroradiologicum	Probable preventive effect of residual stenosis on hyperperfusion syndrome after carotid artery stenting without post-balloon dilation in patients with an extremely high-grade stenosis
2017	26th European Stroke Conference (ESC)	Possible utility of EPA & DHA, BCAA, MCT contained in enteral formula to prevent early energy malnutrition in severe acute stroke patients treated with enteral nutrition
2017	26th European Stroke Conference (ESC)	Significant Fatty Acids of hyper LDL-C or hypo HDL-C levels in Japanese Stroke Patients

2017	26th European Stroke Conference (ESC)	Unsaturated Fatty Acids with Association with Elevation of Malondialdehyde-modified Low-Density Lipoprotein (MDA-LDL) as a Marker of Oxidized Low-Density Lipoprotein
2017	European Stroke Organization Conference (ESOC)	Effectiveness and safety of sodium-glucose cotransporter2 inhibitors to manage hyperglycemia in acute stroke patients
2017	European Stroke Organization Conference (ESOC)	Influence of statins on LDL- and HDL-cholesterol and plasma fatty acids in near and old elderly Japanese stroke patients
2017	European Stroke Organization Conference (ESOC)	Level of Consciousness as a Feasible Determinant of Acute Neuroendovascular Thrombectomy in the Anterior Cerebral Circulation
2017	European Stroke Organization Conference (ESOC)	Possible utility of EPA & DHA, BCAA, MCT contained in enteral formula to prevent early energy malnutrition in severe acute stroke patients treated with enteral nutrition
2017	European Stroke Organization Conference (ESOC)	Utility of transbrachial access for carotid artery stenting
2017	American Society of Neuroradiology (ASNR)	Benefits of Transbrachial Access For Carotid Artery Stenting with Guide-Sheaths Specifically Designed for Transbrachial Carotid Cannulation
2017	American Society of Neuroradiology (ASNR)	MR perfusion to Identify Candidates More Suitable to Endovascular Recanalization Therapy Than iv-tPA in MCA Occlusion
2017	European Congress of Radiology (ECR)	MR perfusion to Identify Candidates More Suitable to Endovascular Recanalization Therapy Than iv-tPA in MCA Occlusion
2017	Society of NeuroInterventional Surgery (SNIS)	Elective carotid artery stenting for high signal lesions on MR black blood images
2016	10th World Stroke Congress (WSC)	Angiographic anatomical features for transbrachial carotid cannulation of a balloon-guide catheter
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	Anticoagulant's character: Hemorrhagic vs. ischemic stroke
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	Clinical outcome of weekend and nighttime admitted patients due to acute ischemic stroke
2016	13th International Symposium on Thrombolysis Thrombectomy and Acute Stroke Therapy	What is the right dose in patients who experienced cerebral hemorrhage under direct oral anticoagulant therapy?
2016	13th Society of NeuroInterventional Surgery (SNIS)	Angiographic Anatomical Features for Transbrachial Carotid Cannulation of a Balloon-Guide Catheter
2016	15th Asian and Oceanian Congress of Neurology	Comparison of simple CBF grades based on CT perfusion with multiphase CT angiography
2016	ASA International stroke Conference	Long-term Survival According to CBF Grade of MR Perfusion in Acute Stroke Patients With the Carotid Artery Occlusion
2016	ASA International stroke Conference	Relationship Between Neurological Severity And CBF Grade Of MR Perfusion In Acute Stroke Patients With The Carotid Artery Occlusion
2016	ASA International stroke Conference	Utility of The Sheath Guide Specifically Designed For Transbrachial Approach In Endovascular Treatment Of Neurovascular Disease
2016	Asia Pacific Stroke Conference	Long-Term Outcome Following Lesion-Specific Wingspan-Stent Treatment for Intracranial Arterial Diseases
2016	European Association of Neurosurgical Societies (EANS)	Utility of Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation
2016	European Stroke Organization Conference (ESOC)	Comparison of simple CBF grades based on CT perfusion with multiphase CT angiography
2016	European Stroke Organization Conference (ESOC)	Nutritional status and N-3 fatty acids in very elderly Japanese stroke patients aged 75 or older
2016	European Stroke Organization Conference (ESOC)	Real incidence of cardiogenic stroke in patients with non-valvular atrial fibrillation before and after appearance of new oral anticoagulants
2016	European Stroke Organization Conference (ESOC)	Relationship between time dependency of DWI-ASPECTS and CBF grade of MR perfusion in acute stroke patients with carotid artery occlusion
2016	European Stroke Organization Conference (ESOC)	Transbrachial endovascular clot removal therapy using balloon guide catheter for acute ischemic stroke
2016	European Stroke Organization Conference (ESOC)	Transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in common carotid artery stenting
2016	8th European Congress on Paediatric Anaesthesia	Utility of Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation
2015	12th Society of neuroInterventional Surgery (SNIS)	Utilization of Blood Sampling Global Oxygen Extraction Fraction to Anticipate Cerebral Hyperperfusion Syndrome Following Elective Carotid Artery Stenting
2015	53rd American Society of Neuroradiology (ASNR)	Simple CBF grading based on MR perfusion to anticipate long-term clinical outcome in severe stroke patients due to the carotid artery occlusion
2015	53rd American Society of Neuroradiology (ASNR)	Simple penumbra map according to CBF grades based on CT perfusion in stroke patients due to the middle cerebral artery occlusion

2015	53rd American Society of Neuroradiology (ASNR)	Spontaneous Dilatation of Stents at Three Months after Carotid Artery Stenting without post-CAS Balloon Dilatation
2015	53rd American Society of Neuroradiology (ASNR)	Utility of the Transbrachial Guide-sheath Specifically Designed for Direct Common Carotid Artery Cannulation in Common Carotid Artery Stenting
2015	53rd American Society of Neuroradiology (ASNR)	Utilization of CT perfusion to find impairment of vasodilatory capacity before carotid artery stenting
2015	European Association of Neurosurgical Societies (EANS)	Utilization of blood sampling global oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following elective carotid artery stenting
2015	European Congress of Radiology (ECR)	Simple CBF grading based on MR perfusion to anticipate long-term clinical outcome in severe stroke patients due to the carotid artery occlusion
2015	European Congress of Radiology (ECR)	Simple penumbra map according to CBF grades based on CT perfusion in stroke patients due to the middle cerebral artery occlusion
2015	European Society of Neuroradiology (ESNR)	Successful intracranial vertebral artery stenting for at least 6-month-old chronic long complete occlusion with a reverse flow technique a case report
2015	European Stroke Conference (ESC)	Relationship between parameters of CT perfusion and increase of blood sampling OEF in patients undergoing carotid artery stenting
2015	European Stroke Conference (ESC)	Safety and effect of dual antiplatelet therapy for emergency endovascular coiling of ruptured cerebral aneurysms
2015	European Stroke Conference (ESC)	Spontaneous dilatation of stents at three months after carotid artery stenting without post-CAS balloon dilatation
2015	European Stroke Conference (ESC)	Utility of blood sampling global cerebral oxygen extraction fraction to anticipate cerebral hyperperfusion syndrome following carotid artery stenting
2015	World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Relationship between neurological severity and CBF grade of MR perfusion in acute stroke patients with the carotid artery occlusion
2015	World Federation of Interventional and Therapeutic Neuroradiology (WFITN)	Successful intracranial vertebral artery stenting for at least 6-month-old chronic long complete occlusion with a reverse flow technique a case report
2015	XXVth International Symposium on Cerebral Blood Flow, Metabolism and Function & XIIIth International Conference	CT perfusion as an index to anticipate increase of blood sampling OEF
2014	2nd International Conference on Heart & Brain (ICHB)	Transbrachial Neurointervention as a Routine Way
2014	52nd American Society of Neuroradiology (ASNR)	Feasibility of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting
2014	52nd American Society of Neuroradiology (ASNR)	Long-term survival probability following conservative therapy according to simple time-intensity curve's types of perfusion-weighted images in severe stroke patients due to the ipsilateral carotid-middle cerebral artery occlusion
2014	52nd American Society of Neuroradiology (ASNR)	Rapid imaging protocol before reperfusion therapy in Acute Stroke by Area Detector CT
2014	52nd American Society of Neuroradiology (ASNR)	Transbrachial approach as a first access route for neurointervention
2014	52nd American Society of Neuroradiology (ASNR)	Usefulness of acute stroke imaging with wide area detector CT before endovascular reperfusion therapy in the anterior cerebral circulation
2014	52nd American Society of Neuroradiology (ASNR)	Variables of 123I-IMP SPECT by graph plot method relating to elevation of blood sampling global oxygen extraction fraction in patients with a high-grade carotid stenosis
2014	AHA International Stroke Conference	Impaired Brachial Flow-mediated Dilatation in Patients With Symptomatic Nontraumatic Intracranial Arterial Dissections
2014	American Association of Neurological Surgeons (AANS)	Long-term survival probability without acute reperfusion therapy according to simple time-intensity curves of perfusion-weighted images in stroke patients due to the carotid-middle cerebral artery occlusion
2014	American Association of Neurological Surgeons (AANS)	Transbrachial approach as a first access route for neurointervention
2014	Computer assisted radiology and surgery (CARS) 2014	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2014	European Association of Neurosurgical Societies (EANS)	Estimation of Long-term survival according to time-intensity curves of PWI in severe stroke patients treated without any reperfusion therapy for the carotid artery occlusion
2014	European Association of Neurosurgical Societies (EANS)	Feasibility and safety of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting for the common carotid artery stenosis
2014	European Congress of Radiology (ECR)	Transbrachial approach as a first access route for neurointervention
2014	European Stroke Conference (ESC)	320 Impact of onset-to-puncture time on clinical outcome in acute ischemic stroke patients with ICA or proximal MCA occlusion
2014	European Stroke Conference (ESC)	Acute stroke rapid imaging protocol by 320-row Area Detector CT

2014	European Stroke Conference (ESC)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2014	European Stroke Conference (ESC)	Blood sampling oxygen extraction fraction as predictors of cerebral hyperperfusion syndrome following elective carotid artery stenting
2014	European Stroke Conference (ESC)	Feasibility of the transbrachial guide-sheath specifically designed for direct common carotid artery cannulation in carotid artery stenting
2014	European Stroke Conference (ESC)	Impacts of statin use on neurological severity at the onset of atherothrombotic stroke
2014	European Stroke Conference (ESC)	Inhospital survival following conservative therapy in severe acute stroke patients within 3 hours of onset due to severe hyperperfusion in the middle cerebral artery territory displayed by MR perfusion study
2014	European Stroke Conference (ESC)	Long-term clinical outcome following joint intensive treatment of emergency stroke and comprehensive rehabilitation centers in severe intracerebral hemorrhage patients
2014	European Stroke Conference (ESC)	Long-term survival probability following conservative therapy according to simple time-intensity curve's types of perfusion-weighted images in severe stroke patients due to the ipsilateral carotid-middle cerebral artery occlusion
2014	European Stroke Conference (ESC)	Rapid imaging protocol in Acute Stroke by Area Detector CT
2014	European Stroke Conference (ESC)	The effect of cilostazol on preventing angiographic restenosis following elective percutaneous transluminal cerebral balloon angioplasty, serial angiographic investigation of 30 cases
2014	European Stroke Conference (ESC)	Transbrachial approach as a first access route for neurointervention
2014	European Stroke Conference (ESC)	Usefulness of acute stroke imaging with wide area detector CT before endovascular reperfusion therapy in the anterior cerebral circulation
2014	XXth Symposium Neuroradiologicum (WFNRS)	The Effect of Cilostazol against the Cerebral Artery Restenosis by Percutaneous Transluminal Cranial Balloon Angioplasty (PTCBA)
2014	XXth Symposium Neuroradiologicum (WFNRS)	Transbrachial Approach as a First Access Route for Neurointervention
2014	XXth Symposium Neuroradiologicum (WFNRS)	Usefulness of Acute Stroke Imaging with Wide Area Detector CT Before Endovascular Reperfusion Therapy in the Anterior Cerebral Circulation
2013	37th European Society of Neuroradiology (ESNR)	Simple and easy way using time-intensity curve of perfusion-weighted images to find salvageable penumbra in stroke patients within 3,5 hours of the onset due to the carotid and middle cerebral artery occlusion
2013	American Society of Neuroradiology (ASNR)	The relationship between DWI-ASPECTS before endovascular reperfusion therapy and 90-day clinical outcome in acute ischemic stroke patients
2013	American Society of Neuroradiology (ASNR)	Comparison of 4D CT Angiography with MR Angiography in Acute Ischemic Stroke patients with Probable Internal Carotid Artery Occlusion
2013	American Society of Neuroradiology (ASNR)	Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon following Carotid Artery Stenting
2013	American Society of Neuroradiology (ASNR)	Relationship between Diffusion-Weighted Imaging-ASPECTS before Endovascular Reperfusion Therapy and 90-Day Clinical Outcome in Acute Ischemic Stroke Patients
2013	American Society of Neuroradiology (ASNR)	Simple and Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra in Stroke Patients within Twelve Hours of Onset Due to the Carotid Artery Occlusion
2013	American Society of Neuroradiology (ASNR)	Transbrachial Coil Embolization of Cerebral Aneurysms in the Anterior Cerebral Circulation with a Novel Sheath Guide for Transbrachial Carotid Cannulation
2013	ASA International stroke Conference	Blood sampling oxygen extraction fraction as predictors of hyperperfusion phenomenon following carotid artery stenting
2013	ASA International stroke Conference	Computed Tomography Perfusion Parameter to Predict Cerebral Hyperperfusion Phenomenon Following Carotid Artery Stenting
2013	ASA International stroke Conference	Determinants for One-Year Angiographic In-stent Restenosis After Elective Carotid Artery Stenting
2013	ASA International stroke Conference	Simple and Easy Way Using Time-Intensity Curve of Perfusion-Weighted Images to Find Penumbra In Stroke Patients Within 45 hours of Onset Due to the Carotid Artery Occlusion
2013	ASA International stroke Conference	The Appropriate Body Position During Nasal-gastric Tube Feeding to Prevent the Aspiration Pneumonia in Acute Stroke Patients
2013	ASA International stroke Conference	Where should we direct our efforts among a few in-hospital steps from ER arrival to achieve faster recanalization in acute ischemic stroke?
2013	European Congress of Radiology (ECR)	Simple and easy way using time-intensity curve of perfusion-weighted images to find penumbra in stroke patients within 4,5 hours of onset due to the carotid artery occlusion
2013	European Stroke Conference (ESC)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation

2013	European Stroke Conference (ESC)	Blood sampling oxygen extraction fraction as predictors of hyperperfusion phenomenon following carotid artery stenting
2013	European Stroke Conference (ESC)	Clinical outcome following DWI/MRA-based intravenous rt-PA in acute ischemic stroke patients
2013	European Stroke Conference (ESC)	Comparison of PEPTAMEN AF®(high-protein enteral formula) with MEIN® (normal-protein enteral formula) in severe acute stroke patients requiring tube feeding
2013	European Stroke Conference (ESC)	Computed tomography perfusion parameter to predict cerebral hyperperfusion phenomenon following carotid artery stenting
2013	European Stroke Conference (ESC)	Determinants of In-stent Restenosis After Elective Carotid Artery Stenting
2013	European Stroke Conference (ESC)	Neurological characteristics of acute stroke patients who accidentally fall during hospitalization
2013	European Stroke Conference (ESC)	Simple and easy way using time intensity curve of perfusion-weighted images to find salvageable penumbra in stroke patients within 12 hours of onset due to the carotid artery occlusion
2013	European Stroke Conference (ESC)	Utility of time-intensity curve of perfusion-weighted images to find acute stroke patients in whom endovascular reperfusion therapy can improve their long-term clinical outcome
2013	European Stroke Conference (ESC)	Where should we direct our efforts among a few in-hospital steps from ER arrival to achieve faster recanalization in acute ischemic stroke?
2013	World federation of neurosurgical societies (WFNS)	Anatomical features of the vertebral artery for transbrachial direct cannulation of a guiding catheter to perform coil embolization of cerebral aneurysms in the posterior cerebral circulation
2012	9th Karolinska Stroke Update Conference	Initial experience of a novel sheath guide for transbrachial coil embolization of cerebral aneurysms in the anterior cerebral circulation
2012	ASA International Stroke Conference	Comparison of Four-dimensional CT Angiography(4D-CTA) with MRA in Acute Ischemic Stroke Patients with Probable Internal Carotid Artery Occlusion